



# Crowd Behavior Modeling in COMBAT XXI

Imre Balogh
MOVES Research Associate Professor
ilbalogh@nps.edu
July 2010

maintaining the data needed, and c including suggestions for reducing	ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar	o average 1 hour per response, incluc- ion of information. Send comments is arters Services, Directorate for Infor- ny other provision of law, no person s	regarding this burden estimate mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis I	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE <b>JUL 2010</b> 2		2. REPORT TYPE		3. DATES COVERED <b>00-00-2010 to 00-00-2010</b>		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Crowd Behavior Modeling in COMBAT XXI				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Naval Postgraduate School, Moves Institute, Monterey, CA, 93943				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES  Research & Education Summit, 13-15 July 2010, Monterey, CA						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE unclassified	Same as Report (SAR)	16	RESPONSIBLE PERSON	

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

# Agenda



- Motivation
- Crowd modeling
- Digital pheromone systems
- COMBAT XXI
- Project description
- Questions



- Context important for military operations.
  - Physical constraints.
    - Terrain, weather, time of day, visibility, etc.
  - Social functionality constraints.
    - Cultural artifacts (religious buildings, hospitals, schools, etc.
  - Indigenous Population
    - The people themselves.
    - Customs, social rules, etc.



- Context important for military operations.
  - Physical constraints.
    - Terrain, weather, time of day, visibility, etc.
  - Social functionality constraints.
    - Cultural artifacts (religious buildings, hospitals, schools, etc.
  - Indigenous Population
    - The people themselves.
    - Customs, social rules, etc.



- Context important for military operations.
  - Physical constraints.
    - Terrain, weather, time of day, visibility, etc.
  - Social functionality constraints.
    - Cultural artifacts (religious buildings, hospitals, schools, etc.
  - Indigenous Population
    - The people themselves.
    - Customs, social rules, etc.



- Context important for military operations.
  - Physical constraints.
    - Terrain, weather, time of day, visibility, etc.
  - Social functionality constraints.
    - Cultural artifacts (religious buildings, hospitals, schools, etc.
  - Indigenous Population
    - The people themselves.
    - Customs, social rules, etc.

Our goal is to address some aspects of this problem.

# Crowd Modeling



- Representation requirements:
  - Large numbers of people ideally should be much larger than the force being represented.
  - Dynamic behaviors no scripting.
  - "Realistic" movement and aggregation.
  - Reactive behaviors can change based on what force agent do.
  - Coordinated behaviors
    - Communication.
    - Memory.
- Usage requirements:
  - Computationally efficient
  - Easy to set up

# Digital Pheromone Models



- Derived from natural systems of self organization.
- Based on mechanism used in insect colonies to coordinate activity.
- Pheromone based models used in many areas:
  - Manufacturing process modeling.
  - Cell phone network optimization.
  - Autonomous vehicle modeling.

# A Digital Pheromone System (DPS)



- Pheromone (scent)
  - Flavor
  - Dispersion
  - Evaporation
- Can be deposited and sensed by agents.
- Deposited at locations in environment based on local conditions and entity state.
- Pheromone provides a way for entities to communicate and also to keep a collective memory.
- Only need very simple agents
  - Sense
  - Deposit
  - Simple state transition based on pheromone strength
- Simple Cellular Automata based model for the pheromone infrastructure.

# **COMBAT XXI Background**



- Target simulation is COMBAT XXI
  - Closed form analytical model
  - Stochastic
  - Agent based model
  - Developed/used Army and Marine Corps
    - TRADOC Analysis Center
    - Marine Corps Combat Development Command
  - Brigade and below studies
    - Scenario sizes ranges ~50 − 10,000+ entities
    - Typical sizes low 100s to 1500
  - Effects model
- Several other projects at NPS involve COMBAT XXI

### Past Pheromone Work



- Demonstration of Pheromone based reactive behaviors.
  - TRAC-MTRY/ALTARUM
  - Demonstrated feasibility of DP approach.
  - Loosely coupled to model.

### Objective of Current Work



- Build a Pheromone Layer into COMBAT XXI
  - Tightly connected to native environment
- Add behavior hooks to the Pheromone Layer
  - Allow agents in the model to access the PL as part of the general behavior mechanism
- Demonstrate pheromone based "ambient" behavior.
  - e.g. having entities move from home to a "market",
     spend time there and then return home.

#### Status



- Basic pheromone synthetic environment complete.
  - Connected to COMBAT XXI core code.
  - Standalone component.
- Simple behavior infrastructure developed.
- Sample scenarios created to show basic functionality.

### **Future Work**



- Performance improvements
  - Optimize code to reduce computational load
- Interface enhancements
  - Develop tools to allow for more intuitive control of parameters
  - Better visualization tools
- Behavior refinement
  - Combine ambient and reactive behaviors



# Questions?

